

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas/BOM,v  
working file: atlas/BOM  
head: 7.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 7.0  
keyword substitution: kv  
total revisions: 1799; selected revisions: 2  
description:

-----  
revision 2.89  
date: 1995/03/14 08:51:10; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

-----  
revision 2.88  
date: 1995/03/14 08:49:15; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

=====

RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v  
working file: atlas/baseplate/chipparms.m4  
head: 1.21  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.21  
keyword substitution: kv  
total revisions: 21; selected revisions: 1  
description:

-----  
revision 1.11  
date: 1995/03/15 17:55:04; author: geert; state: Exp; lines: +21 -23  
More baseplate changes ... Added hemming cell s. Added  
in real pads ..

Geert

=====

RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v  
working file: atlas/baseplate/sharedbaseplate.sgen.m4  
head: 1.41  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.41  
keyword substitution: kv  
total revisions: 41; selected revisions: 1  
description:

-----  
revision 1.11  
date: 1995/03/15 17:55:07; author: geert; state: Exp; lines: +8 -25  
More baseplate changes ... Added hemming cell s. Added  
in real pads ..

Geert

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v
working file: atlas/compass/layouts/atlas.db
head: 1.136
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.136
keyword substitution: kv
total revisions: 136;   selected revisions: 3
description:
-----
revision 1.23
date: 1995/03/17 17:47:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Fri Mar 17 09:47:25 PST 1995
-----
revision 1.22
date: 1995/03/15 01:03:51; author: chip; state: Exp; lines: +56 -55
periodic checkin of Tue Mar 14 17:03:44 PST 1995
-----
revision 1.21
date: 1995/03/14 17:59:49; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 14 09:59:44 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/cabse1.ly,v
working file: atlas/compass/layouts/cabse1.ly
head: 4.19
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.19
keyword substitution: kv
total revisions: 19;   selected revisions: 3
description:
-----
revision 4.3
date: 1995/03/15 19:55:19; author: chip; state: Exp; lines: +595 -266
periodic checkin of Wed Mar 15 11:55:16 PST 1995
-----
revision 4.2
date: 1995/03/14 17:13:18; author: chip; state: Exp; lines: +1 -1
periodic checkin of Tue Mar 14 09:13:15 PST 1995
-----
revision 4.1
date: 1995/03/14 17:08:50; author: chip; state: Exp;
periodic checkin of Tue Mar 14 09:08:47 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/cainvc.ly,v
working file: atlas/compass/layouts/cainvc.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;   selected revisions: 1
=====
```

cc Mar 14-20 1995.log

description:

-----  
revision 4.2

date: 1995/03/15 01:03:55; author: chip; state: Exp; lines: +105 -95  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxldrv.ly,v

working file: atlas/compass/layouts/caxldrv.ly

head: 4.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/15 01:04:00; author: chip; state: Exp; lines: +22 -23  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/csm8t.ly,v

working file: atlas/compass/layouts/csm8t.ly

head: 4.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/17 16:40:27; author: chip; state: Exp; lines: +83 -78  
periodic checkin of Fri Mar 17 08:40:24 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/mos\_site\_15x1.ly,v

working file: atlas/compass/layouts/mos\_site\_15x1.ly

head: 4.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 4.1

date: 1995/03/17 21:15:56; author: chip; state: Exp;  
periodic checkin of Fri Mar 17 13:15:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_cnt.ly,v

working file: atlas/compass/layouts/pad\_cnt.ly

head: 4.1

branch:

locks: strict

access list:

cc Mar 14-20 1995.log

symbolic names:

b4\_rich: 4.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 4.1

date: 1995/03/15 01:04:02; author: chip; state: Exp;

periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_fillet.ly,v

working file: atlas/compass/layouts/pad\_fillet.ly

head: 4.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 4.1

date: 1995/03/15 01:04:05; author: chip; state: Exp;

periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad\_guardring.ly,v

working file: atlas/compass/layouts/pad\_guardring.ly

head: 4.7

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 4

description:

-----  
revision 4.4

date: 1995/03/17 23:33:50; author: chip; state: Exp; lines: +4 -4

periodic checkin of Fri Mar 17 15:33:47 PST 1995  
-----

revision 4.3

date: 1995/03/17 23:22:27; author: chip; state: Exp; lines: +11 -11

periodic checkin of Fri Mar 17 15:22:25 PST 1995  
-----

revision 4.2

date: 1995/03/17 17:47:31; author: chip; state: Exp; lines: +3 -3

periodic checkin of Fri Mar 17 09:47:25 PST 1995  
-----

revision 4.1

date: 1995/03/15 01:04:07; author: chip; state: Exp;

periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad\_guardringcrn.ly,v

working file: atlas/compass/layouts/pad\_guardringcrn.ly

head: 4.2

branch:

locks: strict

access list:

symbolic names:

cc Mar 14-20 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/17 17:47:34; author: chip; state: Exp; lines: +20 -7  
periodic checkin of Fri Mar 17 09:47:25 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:09; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_hem.ly,v  
working file: atlas/compass/layouts/pad\_hem.ly  
head: 4.17  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 4.17  
keyword substitution: kv  
total revisions: 17; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/15 01:04:11; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad\_hem2.ly,v  
working file: atlas/compass/layouts/pad\_hem2.ly  
head: 4.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/17 18:16:26; author: chip; state: Exp; lines: +4 -10  
periodic checkin of Fri Mar 17 10:16:22 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:13; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_hem\_subcell.ly,v  
working file: atlas/compass/layouts/pad\_hem\_subcell.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12; selected revisions: 2  
description:

-----  
revision 4.2

cc Mar 14-20 1995.log  
date: 1995/03/17 18:16:28; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 17 10:16:22 PST 1995

-----  
revision 4.1  
date: 1995/03/15 01:04:15; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_n\_static.ly,v  
working file: atlas/compass/layouts/pad\_n\_static.ly  
head: 4.15  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.15  
keyword substitution: kv  
total revisions: 15; selected revisions: 4  
description:

-----  
revision 4.4  
date: 1995/03/18 00:03:18; author: chip; state: Exp; lines: +8 -8  
periodic checkin of Fri Mar 17 16:03:14 PST 1995

-----  
revision 4.3  
date: 1995/03/17 23:20:29; author: chip; state: Exp; lines: +4 -2  
periodic checkin of Fri Mar 17 15:20:24 PST 1995

-----  
revision 4.2  
date: 1995/03/16 01:41:09; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

-----  
revision 4.1  
date: 1995/03/15 01:04:17; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_n\_subcell.ly,v  
working file: atlas/compass/layouts/pad\_n\_subcell.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 5  
description:

-----  
revision 4.5  
date: 1995/03/18 00:53:29; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 17 16:53:26 PST 1995

-----  
revision 4.4  
date: 1995/03/18 00:03:20; author: chip; state: Exp; lines: +49 -49  
periodic checkin of Fri Mar 17 16:03:14 PST 1995

-----  
revision 4.3  
date: 1995/03/17 23:20:30; author: chip; state: Exp; lines: +69 -6  
periodic checkin of Fri Mar 17 15:20:24 PST 1995

-----  
revision 4.2  
date: 1995/03/16 01:41:10; author: chip; state: Exp; lines: +2 -3

cc Mar 14-20 1995.log  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

-----  
revision 4.1  
date: 1995/03/15 01:04:19; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_p\_static.ly,v  
working file: atlas/compass/layouts/pad\_p\_static.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 3  
description:  
-----

revision 4.3  
date: 1995/03/18 00:03:22; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 16:03:14 PST 1995  
-----

revision 4.2  
date: 1995/03/16 01:41:12; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Wed Mar 15 17:41:05 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:21; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_p\_subcell.ly,v  
working file: atlas/compass/layouts/pad\_p\_subcell.ly  
head: 4.9  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.9  
keyword substitution: kv  
total revisions: 9; selected revisions: 4  
description:  
-----

revision 4.4  
date: 1995/03/18 00:03:23; author: chip; state: Exp; lines: +71 -17  
periodic checkin of Fri Mar 17 16:03:14 PST 1995  
-----

revision 4.3  
date: 1995/03/17 23:20:32; author: chip; state: Exp; lines: +20 -9  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----

revision 4.2  
date: 1995/03/16 01:41:13; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Wed Mar 15 17:41:05 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:23; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_via1.ly,v  
working file: atlas/compass/layouts/pad\_via1.ly

cc Mar 14-20 1995.log

head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/15 01:04:28; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_via2.ly,v  
working file: atlas/compass/layouts/pad\_via2.ly  
head: 4.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/15 01:04:30; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padcrn.ly,v  
working file: atlas/compass/layouts/padcrn.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;    selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/17 23:20:33; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----

revision 4.1  
date: 1995/03/15 18:37:48; author: chip; state: Exp;  
periodic checkin of Wed Mar 15 10:37:46 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v  
working file: atlas/compass/layouts/padhib.ly  
head: 4.34  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.34  
keyword substitution: kv  
total revisions: 34;    selected revisions: 3



cc Mar 14-20 1995.log

description:

-----  
revision 4.7

date: 1995/03/18 00:39:59; author: chip; state: Exp; lines: +21 -19  
periodic checkin of Fri Mar 17 16:39:53 PST 1995

-----  
revision 4.6

date: 1995/03/15 17:58:12; author: chip; state: Exp; lines: +18 -26  
periodic checkin of Wed Mar 15 09:58:09 PST 1995

-----  
revision 4.5

date: 1995/03/15 01:04:31; author: chip; state: Exp; lines: +69 -74  
periodic checkin of Tue Mar 14 17:03:44 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padm3io.ly,v

working file: atlas/compass/layouts/padm3io.ly

head: 4.20

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.20

keyword substitution: kv

total revisions: 20; selected revisions: 3

description:

-----  
revision 4.4

date: 1995/03/18 00:40:01; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 16:39:53 PST 1995

-----  
revision 4.3

date: 1995/03/17 18:16:30; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 10:16:22 PST 1995

-----  
revision 4.2

date: 1995/03/16 01:41:15; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padt11.ly,v

working file: atlas/compass/layouts/padt11.ly

head: 4.23

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.23

keyword substitution: kv

total revisions: 23; selected revisions: 5

description:

-----  
revision 4.6

date: 1995/03/17 23:20:34; author: chip; state: Exp; lines: +14 -13  
periodic checkin of Fri Mar 17 15:20:24 PST 1995

-----  
revision 4.5

date: 1995/03/17 18:16:31; author: chip; state: Exp; lines: +13 -12  
periodic checkin of Fri Mar 17 10:16:22 PST 1995

-----  
revision 4.4

date: 1995/03/16 01:41:16; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

cc Mar 14-20 1995.log

-----  
revision 4.3  
date: 1995/03/15 17:58:14; author: chip; state: Exp; lines: +18 -26  
periodic checkin of Wed Mar 15 09:58:09 PST 1995  
-----

revision 4.2  
date: 1995/03/15 01:04:34; author: chip; state: Exp; lines: +69 -74  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v  
working file: atlas/compass/layouts/padvdd.ly  
head: 2.38  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.38  
keyword substitution: kv  
total revisions: 38; selected revisions: 2  
description:  
-----

revision 2.14  
date: 1995/03/15 17:58:15; author: chip; state: Exp; lines: +16 -24  
periodic checkin of Wed Mar 15 09:58:09 PST 1995  
-----

revision 2.13  
date: 1995/03/15 01:04:35; author: chip; state: Exp; lines: +73 -76  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v  
working file: atlas/compass/layouts/padvss.ly  
head: 4.31  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.31  
keyword substitution: kv  
total revisions: 31; selected revisions: 2  
description:  
-----

revision 4.7  
date: 1995/03/15 17:58:17; author: chip; state: Exp; lines: +16 -24  
periodic checkin of Wed Mar 15 09:58:09 PST 1995  
-----

revision 4.6  
date: 1995/03/15 01:04:37; author: chip; state: Exp; lines: +66 -71  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/uh\_power.ly,v  
working file: atlas/compass/layouts/uh\_power.ly  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

cc Mar 14-20 1995.log

-----  
revision 2.3  
date: 1995/03/15 01:04:38; author: chip; state: Exp; lines: +136 -125  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v  
working file: atlas/compass/layouts/vlsi.log  
head: 1.3654  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3654  
keyword substitution: kv  
total revisions: 3654; selected revisions: 46  
description:  
-----

revision 1.446  
date: 1995/03/18 01:23:45; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 17 17:23:38 PST 1995  
-----

revision 1.445  
date: 1995/03/18 01:07:20; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 17:07:14 PST 1995  
-----

revision 1.444  
date: 1995/03/18 00:53:32; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 16:53:26 PST 1995  
-----

revision 1.443  
date: 1995/03/18 00:42:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:42:29 PST 1995  
-----

revision 1.442  
date: 1995/03/18 00:40:06; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Fri Mar 17 16:39:53 PST 1995  
-----

revision 1.441  
date: 1995/03/18 00:17:06; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:17:01 PST 1995  
-----

revision 1.440  
date: 1995/03/18 00:12:02; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:11:58 PST 1995  
-----

revision 1.439  
date: 1995/03/18 00:06:20; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:06:14 PST 1995  
-----

revision 1.438  
date: 1995/03/18 00:03:27; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Fri Mar 17 16:03:14 PST 1995  
-----

revision 1.437  
date: 1995/03/17 23:41:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 15:40:58 PST 1995  
-----

revision 1.436  
date: 1995/03/17 23:35:50; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 17 15:35:46 PST 1995  
-----

revision 1.435  
-----

```

                                cc Mar 14-20 1995.log
date: 1995/03/17 23:33:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 15:33:47 PST 1995
-----
revision 1.434
date: 1995/03/17 23:32:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 15:31:56 PST 1995
-----
revision 1.433
date: 1995/03/17 23:22:30; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 15:22:25 PST 1995
-----
revision 1.432
date: 1995/03/17 23:20:37; author: chip; state: Exp; lines: +11 -0
periodic checkin of Fri Mar 17 15:20:24 PST 1995
-----
revision 1.431
date: 1995/03/17 22:59:08; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:59:04 PST 1995
-----
revision 1.430
date: 1995/03/17 22:43:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:43:54 PST 1995
-----
revision 1.429
date: 1995/03/17 22:38:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:38:34 PST 1995
-----
revision 1.428
date: 1995/03/17 22:35:15; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 14:35:11 PST 1995
-----
revision 1.427
date: 1995/03/17 21:15:59; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 13:15:54 PST 1995
-----
revision 1.426
date: 1995/03/17 18:16:35; author: chip; state: Exp; lines: +9 -0
periodic checkin of Fri Mar 17 10:16:22 PST 1995
-----
revision 1.425
date: 1995/03/17 17:54:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:54:16 PST 1995
-----
revision 1.424
date: 1995/03/17 17:52:06; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 17 09:52:02 PST 1995
-----
revision 1.423
date: 1995/03/17 17:49:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:49:48 PST 1995
-----
revision 1.422
date: 1995/03/17 17:47:38; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 17 09:47:25 PST 1995
-----
revision 1.421
date: 1995/03/17 17:42:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:42:30 PST 1995
-----
revision 1.420
date: 1995/03/17 17:39:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 17 09:39:50 PST 1995
-----

```

cc Mar 14-20 1995.log

revision 1.419  
date: 1995/03/17 16:42:20; author: chip; state: Exp; lines: +0 -3  
periodic checkin of Fri Mar 17 08:42:15 PST 1995  
-----  
revision 1.418  
date: 1995/03/17 16:40:31; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 17 08:40:24 PST 1995  
-----  
revision 1.417  
date: 1995/03/16 18:00:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 16 10:00:06 PST 1995  
-----  
revision 1.416  
date: 1995/03/16 01:41:19; author: chip; state: Exp; lines: +12 -0  
periodic checkin of Wed Mar 15 17:41:05 PST 1995  
-----  
revision 1.415  
date: 1995/03/16 01:37:46; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 15 17:37:42 PST 1995  
-----  
revision 1.414  
date: 1995/03/16 01:34:20; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 15 17:34:16 PST 1995  
-----  
revision 1.413  
date: 1995/03/16 01:32:36; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 15 17:32:32 PST 1995  
-----  
revision 1.412  
date: 1995/03/16 01:28:53; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 15 17:28:49 PST 1995  
-----  
revision 1.411  
date: 1995/03/15 19:55:23; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 15 11:55:16 PST 1995  
-----  
revision 1.410  
date: 1995/03/15 18:37:52; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Wed Mar 15 10:37:46 PST 1995  
-----  
revision 1.409  
date: 1995/03/15 17:58:20; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Wed Mar 15 09:58:09 PST 1995  
-----  
revision 1.408  
date: 1995/03/15 17:55:56; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 15 09:55:53 PST 1995  
-----  
revision 1.407  
date: 1995/03/15 17:53:40; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 15 09:53:33 PST 1995  
-----  
revision 1.406  
date: 1995/03/15 17:27:28; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 15 09:27:23 PST 1995  
-----  
revision 1.405  
date: 1995/03/15 01:04:41; author: chip; state: Exp; lines: +131 -0  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
-----  
revision 1.404  
date: 1995/03/14 17:59:53; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Tue Mar 14 09:59:44 PST 1995

cc Mar 14-20 1995.log

-----  
revision 1.403  
date: 1995/03/14 17:20:14; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 14 09:20:09 PST 1995  
-----

revision 1.402  
date: 1995/03/14 17:13:21; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Tue Mar 14 09:13:15 PST 1995  
-----

revision 1.401  
date: 1995/03/14 17:08:54; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 14 09:08:47 PST 1995  
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v  
working file: atlas/ged/BOM  
head: 22.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 22.0  
keyword substitution: kv  
total revisions: 654; selected revisions: 1  
description:  
-----

revision 5.4  
date: 1995/03/14 08:49:06; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format  
=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v  
working file: atlas/ged/xv/BOM  
head: 33.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 33.0  
keyword substitution: kv  
total revisions: 102; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 13.0  
date: 1995/03/14 08:48:55; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format  
-----

revision 12.1  
date: 1995/03/14 08:48:46; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/BOM,v  
working file: atlas/ged/xv/xvdlq/BOM  
head: 6.0  
branch:  
locks: strict  
access list:

cc Mar 14-20 1995.log

symbolic names:

b4\_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/14 08:47:35; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

-----  
revision 1.1

date: 1995/03/14 08:47:28; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/body.1.1,v

working file: atlas/ged/xv/xvdlq/body.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/14 08:20:39; author: tom; state: Exp;

add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/body.2.1,v

working file: atlas/ged/xv/xvdlq/body.2.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/14 08:20:42; author: tom; state: Exp;

add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/spice.1.1,v

working file: atlas/ged/xv/xvdlq/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

cc Mar 14-20 1995.log

-----  
revision 1.1  
date: 1995/03/14 08:20:45; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvdlbq/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/14 08:20:47; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/BOM,v  
Working file: atlas/ged/xv/xvdlbq/BOM  
head: 3.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 3.0  
keyword substitution: kv  
total revisions: 4;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/14 08:47:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format  
-----

revision 1.1  
date: 1995/03/14 08:47:49; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/body.1.1,v  
Working file: atlas/ged/xv/xvdlbq/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/14 08:20:51; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====



cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/body.2.1,v  
working file: atlas/ged/xv/xvdlbq/body.2.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/14 08:20:54; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/spice.1.1,v  
working file: atlas/ged/xv/xvdlbq/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/14 08:20:56; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlbq/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvdlbq/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/14 08:20:59; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas/leafgen/BOM,v  
working file: atlas/leafgen/BOM  
head: 45.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 45.0  
keyword substitution: kv  
total revisions: 129;    selected revisions: 2  
description:

cc Mar 14-20 1995.log

releasebom adding BOM

-----  
revision 8.0

date: 1995/03/14 08:50:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

-----  
revision 7.2

date: 1995/03/14 08:50:49; author: tom; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v

working file: atlas/leafgen/makeDepend

head: 3.15

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 3.15

keyword substitution: kv

total revisions: 15; selected revisions: 1

description:

-----  
revision 3.7

date: 1995/03/14 08:44:00; author: tom; state: Exp; lines: +4 -4

change to fit new "xv<fanin><function><polarity>" name format

=====

RCS file: /p/cvsroot/atlas/leafgen/doc/BOM,v

working file: atlas/leafgen/doc/BOM

head: 13.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 13.0

keyword substitution: kv

total revisions: 28; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 7.0

date: 1995/03/14 08:50:26; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

-----  
revision 6.2

date: 1995/03/14 08:50:16; author: tom; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/leafgen/doc/xgraph/Attic/BOM,v

working file: atlas/leafgen/doc/xgraph/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 2

cc Mar 14-20 1995.log

description:  
releasebom adding BOM

-----  
revision 4.0  
date: 1995/03/14 08:49:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

-----  
revision 3.1  
date: 1995/03/14 08:49:47; author: tom; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/BOM,v  
working file: atlas2/BOM  
head: 201.2755  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 201.2700  
keyword substitution: kv  
total revisions: 4418; selected revisions: 2  
description:

-----  
revision 2.89  
date: 1995/03/14 08:51:10; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

-----  
revision 2.88  
date: 1995/03/14 08:49:15; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format  
=====

RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v  
working file: atlas2/baseplate/chipparms.m4  
head: 200.13  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.13  
keyword substitution: kv  
total revisions: 35; selected revisions: 1  
description:

-----  
revision 1.11  
date: 1995/03/15 17:55:04; author: geert; state: Exp; lines: +21 -23  
More baseplate changes ... Added hemming cell s. Added  
in real pads ..

Geert  
=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v  
working file: atlas2/baseplate/sharedbaseplate.sgen.m4  
head: 200.0  
branch:

cc Mar 14-20 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 42;      selected revisions: 1  
description:

-----  
revision 1.11  
date: 1995/03/15 17:55:07; author: geert; state: Exp; lines: +8 -25  
More baseplate changes ... Added hemming cell s. Added  
in real pads ..

Geert

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v  
working file: atlas2/compass/layouts/atlas.db  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 133;      selected revisions: 3  
description:

-----  
revision 1.23  
date: 1995/03/17 17:47:29; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 09:47:25 PST 1995

-----  
revision 1.22  
date: 1995/03/15 01:03:51; author: chip; state: Exp; lines: +56 -55  
periodic checkin of Tue Mar 14 17:03:44 PST 1995

-----  
revision 1.21  
date: 1995/03/14 17:59:49; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 14 09:59:44 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cabsel.ly,v  
working file: atlas2/compass/layouts/cabsel.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 20;      selected revisions: 3  
description:

-----  
revision 4.3  
date: 1995/03/15 19:55:19; author: chip; state: Exp; lines: +595 -266  
periodic checkin of Wed Mar 15 11:55:16 PST 1995

-----  
revision 4.2  
date: 1995/03/14 17:13:18; author: chip; state: Exp; lines: +1 -1  
periodic checkin of Tue Mar 14 09:13:15 PST 1995

-----  
revision 4.1  
date: 1995/03/14 17:08:50; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 09:08:47 PST 1995

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cainvc.ly,v

working file: atlas2/compass/layouts/cainvc.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/15 01:03:55; author: chip; state: Exp; lines: +105 -95

periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxldrv.ly,v

working file: atlas2/compass/layouts/caxldrv.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/15 01:04:00; author: chip; state: Exp; lines: +22 -23

periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/csm8t.ly,v

working file: atlas2/compass/layouts/csm8t.ly

head: 4.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/17 16:40:27; author: chip; state: Exp; lines: +83 -78

periodic checkin of Fri Mar 17 08:40:24 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/mos\_site\_15x1.ly,v

working file: atlas2/compass/layouts/mos\_site\_15x1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 4.1

date: 1995/03/17 21:15:56; author: chip; state: Exp;

periodic checkin of Fri Mar 17 13:15:54 PST 1995  
=====

cc Mar 14-20 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_cnt.ly,v  
working file: atlas2/compass/layouts/pad\_cnt.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/15 01:04:02; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_fillet.ly,v  
working file: atlas2/compass/layouts/pad\_fillet.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/15 01:04:05; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_guardring.ly,v  
working file: atlas2/compass/layouts/pad\_guardring.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 4  
description:

-----  
revision 4.4  
date: 1995/03/17 23:33:50; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Fri Mar 17 15:33:47 PST 1995  
-----

revision 4.3  
date: 1995/03/17 23:22:27; author: chip; state: Exp; lines: +11 -11  
periodic checkin of Fri Mar 17 15:22:25 PST 1995  
-----

revision 4.2  
date: 1995/03/17 17:47:31; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 17 09:47:25 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:07; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_guardringcrn.ly,v  
working file: atlas2/compass/layouts/pad\_guardringcrn.ly

cc Mar 14-20 1995.log

head: 4.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/17 17:47:34; author: chip; state: Exp; lines: +20 -7  
periodic checkin of Fri Mar 17 09:47:25 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:09; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_hem.ly,v  
working file: atlas2/compass/layouts/pad\_hem.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18;      selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/15 01:04:11; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_hem2.ly,v  
working file: atlas2/compass/layouts/pad\_hem2.ly  
head: 4.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/17 18:16:26; author: chip; state: Exp; lines: +4 -10  
periodic checkin of Fri Mar 17 10:16:22 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:13; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_hem\_subcell.ly,v  
working file: atlas2/compass/layouts/pad\_hem\_subcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13;      selected revisions: 2

cc Mar 14-20 1995.log

description:

-----  
revision 4.2  
date: 1995/03/17 18:16:28; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 17 10:16:22 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:15; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_n\_static.ly,v  
working file: atlas2/compass/layouts/pad\_n\_static.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 16; selected revisions: 4  
description:

-----  
revision 4.4  
date: 1995/03/18 00:03:18; author: chip; state: Exp; lines: +8 -8  
periodic checkin of Fri Mar 17 16:03:14 PST 1995  
-----

revision 4.3  
date: 1995/03/17 23:20:29; author: chip; state: Exp; lines: +4 -2  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----

revision 4.2  
date: 1995/03/16 01:41:09; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Wed Mar 15 17:41:05 PST 1995  
-----

revision 4.1  
date: 1995/03/15 01:04:17; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_n\_subcell.ly,v  
working file: atlas2/compass/layouts/pad\_n\_subcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 5  
description:

-----  
revision 4.5  
date: 1995/03/18 00:53:29; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 17 16:53:26 PST 1995  
-----

revision 4.4  
date: 1995/03/18 00:03:20; author: chip; state: Exp; lines: +49 -49  
periodic checkin of Fri Mar 17 16:03:14 PST 1995  
-----

revision 4.3  
date: 1995/03/17 23:20:30; author: chip; state: Exp; lines: +69 -6  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----

revision 4.2



cc Mar 14-20 1995.log  
date: 1995/03/16 01:41:10; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

-----  
revision 4.1  
date: 1995/03/15 01:04:19; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_p\_static.ly,v  
working file: atlas2/compass/layouts/pad\_p\_static.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 3  
description:

-----  
revision 4.3  
date: 1995/03/18 00:03:22; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 16:03:14 PST 1995

-----  
revision 4.2  
date: 1995/03/16 01:41:12; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

-----  
revision 4.1  
date: 1995/03/15 01:04:21; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_p\_subcell.ly,v  
working file: atlas2/compass/layouts/pad\_p\_subcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 4  
description:

-----  
revision 4.4  
date: 1995/03/18 00:03:23; author: chip; state: Exp; lines: +71 -17  
periodic checkin of Fri Mar 17 16:03:14 PST 1995

-----  
revision 4.3  
date: 1995/03/17 23:20:32; author: chip; state: Exp; lines: +20 -9  
periodic checkin of Fri Mar 17 15:20:24 PST 1995

-----  
revision 4.2  
date: 1995/03/16 01:41:13; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Wed Mar 15 17:41:05 PST 1995

-----  
revision 4.1  
date: 1995/03/15 01:04:23; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_via1.ly,v  
working file: atlas2/compass/layouts/pad\_via1.ly  
head: 200.0

cc Mar 14-20 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/15 01:04:28; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_via2.ly,v  
working file: atlas2/compass/layouts/pad\_via2.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/15 01:04:30; author: chip; state: Exp;  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padcrn.ly,v  
working file: atlas2/compass/layouts/padcrn.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11;      selected revisions: 2  
description:  
-----  
revision 4.2  
date: 1995/03/17 23:20:33; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----  
revision 4.1  
date: 1995/03/15 18:37:48; author: chip; state: Exp;  
periodic checkin of Wed Mar 15 10:37:46 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v  
working file: atlas2/compass/layouts/padhib.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 35;      selected revisions: 3  
description:  
-----  
revision 4.7  
date: 1995/03/18 00:39:59; author: chip; state: Exp; lines: +21 -19  
periodic checkin of Fri Mar 17 16:39:53 PST 1995

cc Mar 14-20 1995.log

-----  
revision 4.6  
date: 1995/03/15 17:58:12; author: chip; state: Exp; lines: +18 -26  
periodic checkin of Wed Mar 15 09:58:09 PST 1995  
-----

revision 4.5  
date: 1995/03/15 01:04:31; author: chip; state: Exp; lines: +69 -74  
periodic checkin of Tue Mar 14 17:03:44 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3io.ly,v  
working file: atlas2/compass/layouts/padm3io.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 21; selected revisions: 3  
description:  
-----

revision 4.4  
date: 1995/03/18 00:40:01; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 16:39:53 PST 1995  
-----

revision 4.3  
date: 1995/03/17 18:16:30; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Fri Mar 17 10:16:22 PST 1995  
-----

revision 4.2  
date: 1995/03/16 01:41:15; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 15 17:41:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padttl.ly,v  
working file: atlas2/compass/layouts/padttl.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 24; selected revisions: 5  
description:  
-----

revision 4.6  
date: 1995/03/17 23:20:34; author: chip; state: Exp; lines: +14 -13  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----

revision 4.5  
date: 1995/03/17 18:16:31; author: chip; state: Exp; lines: +13 -12  
periodic checkin of Fri Mar 17 10:16:22 PST 1995  
-----

revision 4.4  
date: 1995/03/16 01:41:16; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Wed Mar 15 17:41:05 PST 1995  
-----

revision 4.3  
date: 1995/03/15 17:58:14; author: chip; state: Exp; lines: +18 -26  
periodic checkin of Wed Mar 15 09:58:09 PST 1995  
-----

revision 4.2  
date: 1995/03/15 01:04:34; author: chip; state: Exp; lines: +69 -74

cc Mar 14-20 1995.log  
periodic checkin of Tue Mar 14 17:03:44 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v  
working file: atlas2/compass/layouts/padvdd.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 39; selected revisions: 2  
description:

---

revision 2.14  
date: 1995/03/15 17:58:15; author: chip; state: Exp; lines: +16 -24  
periodic checkin of wed Mar 15 09:58:09 PST 1995

---

revision 2.13  
date: 1995/03/15 01:04:35; author: chip; state: Exp; lines: +73 -76  
periodic checkin of Tue Mar 14 17:03:44 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v  
working file: atlas2/compass/layouts/padvss.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 32; selected revisions: 2  
description:

---

revision 4.7  
date: 1995/03/15 17:58:17; author: chip; state: Exp; lines: +16 -24  
periodic checkin of wed Mar 15 09:58:09 PST 1995

---

revision 4.6  
date: 1995/03/15 01:04:37; author: chip; state: Exp; lines: +66 -71  
periodic checkin of Tue Mar 14 17:03:44 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_power.ly,v  
working file: atlas2/compass/layouts/uh\_power.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

---

revision 2.3  
date: 1995/03/15 01:04:38; author: chip; state: Exp; lines: +136 -125  
periodic checkin of Tue Mar 14 17:03:44 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v  
working file: atlas2/compass/layouts/vlsi.log  
head: 200.0  
branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3575; selected revisions: 46

description:

-----  
revision 1.446

date: 1995/03/18 01:23:45; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 17 17:23:38 PST 1995

-----  
revision 1.445

date: 1995/03/18 01:07:20; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 17:07:14 PST 1995

-----  
revision 1.444

date: 1995/03/18 00:53:32; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 16:53:26 PST 1995

-----  
revision 1.443

date: 1995/03/18 00:42:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:42:29 PST 1995

-----  
revision 1.442

date: 1995/03/18 00:40:06; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Fri Mar 17 16:39:53 PST 1995

-----  
revision 1.441

date: 1995/03/18 00:17:06; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:17:01 PST 1995

-----  
revision 1.440

date: 1995/03/18 00:12:02; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:11:58 PST 1995

-----  
revision 1.439

date: 1995/03/18 00:06:20; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 16:06:14 PST 1995

-----  
revision 1.438

date: 1995/03/18 00:03:27; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Fri Mar 17 16:03:14 PST 1995

-----  
revision 1.437

date: 1995/03/17 23:41:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 15:40:58 PST 1995

-----  
revision 1.436

date: 1995/03/17 23:35:50; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 17 15:35:46 PST 1995

-----  
revision 1.435

date: 1995/03/17 23:33:53; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 15:33:47 PST 1995

-----  
revision 1.434

date: 1995/03/17 23:32:01; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 15:31:56 PST 1995

-----  
revision 1.433

date: 1995/03/17 23:22:30; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 15:22:25 PST 1995  
-----

cc Mar 14-20 1995.log

revision 1.432  
date: 1995/03/17 23:20:37; author: chip; state: Exp; lines: +11 -0  
periodic checkin of Fri Mar 17 15:20:24 PST 1995  
-----  
revision 1.431  
date: 1995/03/17 22:59:08; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 14:59:04 PST 1995  
-----  
revision 1.430  
date: 1995/03/17 22:43:58; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 14:43:54 PST 1995  
-----  
revision 1.429  
date: 1995/03/17 22:38:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 14:38:34 PST 1995  
-----  
revision 1.428  
date: 1995/03/17 22:35:15; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 14:35:11 PST 1995  
-----  
revision 1.427  
date: 1995/03/17 21:15:59; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 13:15:54 PST 1995  
-----  
revision 1.426  
date: 1995/03/17 18:16:35; author: chip; state: Exp; lines: +9 -0  
periodic checkin of Fri Mar 17 10:16:22 PST 1995  
-----  
revision 1.425  
date: 1995/03/17 17:54:20; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 09:54:16 PST 1995  
-----  
revision 1.424  
date: 1995/03/17 17:52:06; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 17 09:52:02 PST 1995  
-----  
revision 1.423  
date: 1995/03/17 17:49:52; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 09:49:48 PST 1995  
-----  
revision 1.422  
date: 1995/03/17 17:47:38; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Fri Mar 17 09:47:25 PST 1995  
-----  
revision 1.421  
date: 1995/03/17 17:42:35; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 09:42:30 PST 1995  
-----  
revision 1.420  
date: 1995/03/17 17:39:54; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 17 09:39:50 PST 1995  
-----  
revision 1.419  
date: 1995/03/17 16:42:20; author: chip; state: Exp; lines: +0 -3  
periodic checkin of Fri Mar 17 08:42:15 PST 1995  
-----  
revision 1.418  
date: 1995/03/17 16:40:31; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 17 08:40:24 PST 1995  
-----  
revision 1.417  
date: 1995/03/16 18:00:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 16 10:00:06 PST 1995

cc Mar 14-20 1995.log

```

-----
revision 1.416
date: 1995/03/16 01:41:19; author: chip; state: Exp; lines: +12 -0
periodic checkin of Wed Mar 15 17:41:05 PST 1995
-----
revision 1.415
date: 1995/03/16 01:37:46; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:37:42 PST 1995
-----
revision 1.414
date: 1995/03/16 01:34:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:34:16 PST 1995
-----
revision 1.413
date: 1995/03/16 01:32:36; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 15 17:32:32 PST 1995
-----
revision 1.412
date: 1995/03/16 01:28:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 17:28:49 PST 1995
-----
revision 1.411
date: 1995/03/15 19:55:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 15 11:55:16 PST 1995
-----
revision 1.410
date: 1995/03/15 18:37:52; author: chip; state: Exp; lines: +5 -0
periodic checkin of Wed Mar 15 10:37:46 PST 1995
-----
revision 1.409
date: 1995/03/15 17:58:20; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 15 09:58:09 PST 1995
-----
revision 1.408
date: 1995/03/15 17:55:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 09:55:53 PST 1995
-----
revision 1.407
date: 1995/03/15 17:53:40; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 15 09:53:33 PST 1995
-----
revision 1.406
date: 1995/03/15 17:27:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 15 09:27:23 PST 1995
-----
revision 1.405
date: 1995/03/15 01:04:41; author: chip; state: Exp; lines: +131 -0
periodic checkin of Tue Mar 14 17:03:44 PST 1995
-----
revision 1.404
date: 1995/03/14 17:59:53; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 14 09:59:44 PST 1995
-----
revision 1.403
date: 1995/03/14 17:20:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 14 09:20:09 PST 1995
-----
revision 1.402
date: 1995/03/14 17:13:21; author: chip; state: Exp; lines: +4 -0
periodic checkin of Tue Mar 14 09:13:15 PST 1995
-----
revision 1.401
date: 1995/03/14 17:08:54; author: chip; state: Exp; lines: +2 -0

```

cc Mar 14-20 1995.log  
periodic checkin of Tue Mar 14 09:08:47 PST 1995

=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v  
working file: atlas2/ged/BOM  
head: 207.61  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 207.57  
keyword substitution: kv  
total revisions: 1847; selected revisions: 1  
description:

-----

revision 5.4  
date: 1995/03/14 08:49:06; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v  
working file: atlas2/ged/xv/BOM  
head: 212.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 212.0  
keyword substitution: kv  
total revisions: 348; selected revisions: 2  
description:  
releasebom adding BOM

-----

revision 13.0  
date: 1995/03/14 08:48:55; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

-----

revision 12.1  
date: 1995/03/14 08:48:46; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv\_family=domino\_latch/xvdlag/body.1.1,v  
working file: atlas2/ged/xv/.config+xv\_family=domino\_latch/xvdlag/body.1.1  
head: 200.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.3  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----

revision 1.1  
date: 1995/03/14 08:20:39; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names

=====



```

cc Mar 14-20 1995.log
RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/body.2.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:42; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice.1.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.3
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:45; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file:
/p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice_cn.1.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlq/spice_cn.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.3
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/14 08:20:47; author: tom; state: Exp;
add schematics with "xv<fanin><function><polarity>" names
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/BOM,v
working file: atlas2/ged/xv/xvdlq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;    selected revisions: 2
description:
releasebom adding BOM

```

cc Mar 14-20 1995.log

-----  
revision 2.0  
date: 1995/03/14 08:47:35; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format

-----  
revision 1.1  
date: 1995/03/14 08:47:28; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdlq/body.1.1  
head: 200.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/14 08:20:39; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdlq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/14 08:20:42; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdlq/spice.1.1  
head: 200.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/14 08:20:45; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdlq/spice\_cn.1.1  
head: 200.3

cc Mar 14-20 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/14 08:20:47; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/BOM,v  
working file: atlas2/ged/xv/xvdlbq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/14 08:47:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

change more schematic names to "xv<fanin><function><polarity>" format  
-----

revision 1.1  
date: 1995/03/14 08:47:49; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvdlbq/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/14 08:20:51; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvdlbq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:  
-----

cc Mar 14-20 1995.log

revision 1.1  
date: 1995/03/14 08:20:54; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvdlbq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----

revision 1.1  
date: 1995/03/14 08:20:56; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlbq/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvdlbq/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----

revision 1.1  
date: 1995/03/14 08:20:59; author: tom; state: Exp;  
add schematics with "xv<fanin><function><polarity>" names

=====

RCS file: /p/cvsroot/atlas2/leafgen/BOM,v  
working file: atlas2/leafgen/BOM  
head: 238.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 238.0  
keyword substitution: kv  
total revisions: 235; selected revisions: 2  
description:  
releasebom adding BOM

-----

revision 8.0  
date: 1995/03/14 08:50:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format

-----

revision 7.2  
date: 1995/03/14 08:50:49; author: tom; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v  
working file: atlas2/leafgen/makeDepend

cc Mar 14-20 1995.log

head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 1  
description:  
-----  
revision 3.7  
date: 1995/03/14 08:44:00; author: tom; state: Exp; lines: +4 -4  
change to fit new "xv<fanin><function><polarity>" name format  
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/BOM,v  
working file: atlas2/leafgen/doc/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 201.0  
keyword substitution: kv  
total revisions: 31; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 7.0  
date: 1995/03/14 08:50:26; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format  
-----

revision 6.2  
date: 1995/03/14 08:50:16; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/leafgen/doc/xgraph/Attic/BOM,v  
working file: atlas2/leafgen/doc/xgraph/BOM  
head: 4.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/03/14 08:49:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

change to fit new "xv<fanin><function><polarity>" name format  
-----

revision 3.1  
date: 1995/03/14 08:49:47; author: tom; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/run\_nullstone,v  
working file: c\_tests/nullstone/run\_nullstone

cc Mar 14-20 1995.log

head: 1.20  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.20  
keyword substitution: kv  
total revisions: 20;    selected revisions: 1  
description:  
initial revision

-----  
revision 1.5  
date: 1995/03/17 23:23:15; author: claseman; state: Exp; lines: +7 -2  
add extent of run variable  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/run\_nullstone,v  
working file: c\_tests/nullstone\_3\_8\_4/run\_nullstone  
head: 1.19  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 19;    selected revisions: 1  
description:  
initial revision

-----  
revision 1.5  
date: 1995/03/17 23:23:15; author: claseman; state: Exp; lines: +7 -2  
add extent of run variable  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/ci/ci\_drive.v,v  
working file: calliope/verify/standalone/ci/ci\_drive.v  
head: 2.18  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18;    selected revisions: 1  
description:

-----  
revision 2.18  
date: 1995/03/16 22:22:40; author: brian; state: Exp; lines: +25 -4  
Some minor changes for new canceler testing.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/ci/ciplot.c,v  
working file: calliope/verify/standalone/ci/ciplot.c  
head: 12.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 12.3  
date: 1995/03/16 22:22:43; author: brian; state: Exp; lines: +2 -0  
Some minor changes for new canceler testing.

=====

cc Mar 14-20 1995.1og

=====